



TERAOKA

SOUTH AFRICA

Retail Solutions Catalogue

CAKES & TARTS

COOKIES

MADE-TO-ORDER

ZERO GRAVITY

1000⁺

CHIFFON CAKE

● Our Favorite ♦ Gluten Free

- Matcha Monaka Cookie 380
— Only in Japan!
- Cannelé de Bordeaux 350
- Chocolate Chip Cookie 350
- Flourless Chocolate Pecan Cookie* 370
- Macaron 290
Darkchocolate / Salted Caramel / Raspberry Sizzonic
Lemon Poppy Seed / Blueberry / Coconut Lime / Pistachio

● Our Favorite ♦ Gluten Free

- Mini Madeleines 440 / 880
- Cookie Shots™ 520
- Frozen S'more™ 770

Gaugère

● Our Favorite



Some of our Valued Retail Customers



TOTAL



WOOLWORTHS





PC SCALES

ST LOUIS STYLE RIBS

UNIT	WEIGHT	NET PRICE
0,228	1,062	89,99

TOTAL PRICE R95,57



BRM
ST LOUIS STYLE RIBS
89,99

PC SCALES



SM-6000 EV PLUS

SM-6000

- ▼ Generate additional revenue and brand awareness with 15" high contrast colour portrait customer display
- ▼ Variable length/Linerless label printer with built-in auto-cutter (High Quality 300dpi)
- ▼ Built-in base station that integrates with eLabels and ESL
- ▼ Provides smooth and efficient practicality for both operators and shoppers
- ▼ Low-profile platter and anti-stick operator screen
- ▼ Haptic key pad (10 numeric keys and 8 function keys)

SM-5300

- ▼ 23 alpha numeric keys for easy operation
- ▼ Interactive colour operator and customer display that can present advertisements/promotions
- ▼ Variable length/Linerless label printer with built-in auto-cutter
- ▼ Scale management software (DIGIConnect)
- ▼ Optional base station that integrates with eLabels and ESL
- ▼ Waste Management and tracking
- ▼ Audit trail, price override lock and password protection allow for price integrity and secure operation



eLabels



SM-5300 H



SM-5300 P



SM-5300 SSP
(Self-Service)



VALUE ADDED RETAIL SOLUTIONS

VALUE ADDED RETAIL SOLUTIONS

PowerPOP Integrated Price Card Printer



PowerPOP Card and Printer

- ▼ Price cards print directly from scale
- ▼ Aesthetically pleasing to look at
- ▼ Very simple to use
- ▼ High quality prints
- ▼ Cards are hygienic, easy to clean and food safe
- ▼ Easily integrates into your current display stands
- ▼ Multiple templates available
- ▼ Time saving solution that prints cards in seconds
- ▼ Cards are resistant to cold and moisture
- ▼ Increase visibility and highlight certain products

Instant MD Markdown Solutions

- ▼ Mobile markdown label printer
- ▼ Efficient and simple to use
- ▼ High quality prints
- ▼ Small, compact and lightweight design
- ▼ Rechargeable battery operated
- ▼ Waste reducing
- ▼ Bright and eye-catching labels
- ▼ Increased checkout speed due to no supervisor override required at POS
- ▼ Instantly markdown and reprice any product
- ▼ Individual, batch and non-scale item markdown



Instant MD Printer, Scanner, Label and Reduced Pack

Queue Management Solution



Queue Printer

- ▼ Keeps customers informed of their queue status
- ▼ Cuts down waiting times and minimises walkways
- ▼ Operators can monitor real-time queue status
- ▼ Calculates the average waiting period in real-time
- ▼ Dashboard reporting
- ▼ Boosts operator productivity
- ▼ Works with all DIGI PC Scales

VALUE ADDED RETAIL SOLUTIONS

e.Sense



e.Sense mounted to dispenser

- ▼ Motion activated sensor that can be installed on a container or dispenser
- ▼ Automatically transmits PLU code to SM-6000
- ▼ Easy to set up, eliminating errors
- ▼ Reduces shrinkage while allowing staff to be deployed to higher value activities

Speed ID

- ▼ Replaces manual key-in of a clerk password
- ▼ Automatic near field identification feature that offers hassle-free user login
- ▼ Prevents unauthorized access
- ▼ Built-in operational log ensures accountability and transparency
- ▼ Easily monitors employee usage and sales



Speed ID with wireless operator identification

eLabel Hi-Touch



eLabel Hi-Touch Remote Preset Keys


- ▼ Do away with preset keys by using tap sensor technology
- ▼ Operators can easily call up correct PLU
- ▼ Reduces human error and memorization of PLU codes

TENDER *gourmet* BUTCHERY

handmade
PIES



DELICIOUS
SANDWICHES



TENDER
gourmet
BUTCHERY





COUNTER PRINTING SCALES

COUNTER PRINTING SCALES



SM-120 P LL

SM-120 Series

- ✔ Robust durable label printing scale
- ✔ Variable length linerless label printer with built-in auto-cutter
- ✔ Waste saving compared to standard label
- ✔ Life span of thermal head is increased
- ✔ Integrates with PowerPOP printer
- ✔ Also available in bench and hanging version



Unit 6, City Deep Industrial Park, Fortune Street,
City Deep, JHB, 2049 TEL: 011 654 4291

Unit 6, City Deep Industrial Park, Fortune Street,
City Deep, JHB, 2049 TEL: 011 654 4291

Unit 6, City Deep Industrial Park, Fortune Street,
City Deep, JHB, 2049 TEL: 011 654 4291

Did you know ...

Teraoka's variable length labelling offers you the solution in compliance with the R146 Label Regulation, with a reputation of being economical, ecological and efficient!

SM-110 Series

- ✔ Robust and durable label printing scale
- ✔ 80mm/sec print speed
- ✔ Supports ethernet TPC/IP
- ✔ Optional built-in WiFi for quick data transfer
- ✔ Free DigiConnect PC software
- ✔ Custom Label Design



Label Example



SM-110 P



PRICE COMPUTING & PORTION SCALES

PRICE COMPUTING & PORTION SCALES

DS-673 Series

- ▼ 6kg, 15kg, or 30kg multi-interval portion scale
- ▼ NRCS approved, reliable and robust design
- ▼ Bright LED display improves readability
- ▼ AC or rechargeable battery operation (60 hours)
- ▼ Auto power-off function
- ▼ Also available in a stainless steel version (IP 68)



DS-673



DS-673SS



DS-782 P



DS-782 B

DS-782

- ▼ 15kg multi-interval price computing scale
- ▼ NRCS approved, reliable and robust design
- ▼ Bright LED display improves readability
- ▼ 15 pre-set keys for fast moving lines
- ▼ AC or rechargeable battery operation (60 hours)
- ▼ Data output via RS232C Interface

DMC-782 & DC-782

- ▼ 15kg multi-interval coin and counting scale
- ▼ Reliable and robust design
- ▼ High accuracy with internal resolution of 1/1,000,000
- ▼ High contrast LCD display with back-light
- ▼ Completely portable by using rechargeable battery
- ▼ 25 item code memory and 10 pre-set key
- ▼ Data output via RS-232C Interface



DMC-782



DC-782



MEAT RECEIVING &
PLATFORM SCALES

MEAT RECEIVING & PLATFORM SCALES

DS-560

MW-560 Mobile Weigher



DS-560

DS-560

- ▼ 30kg, 60kg, 150kg or 300kg platform scales
- ▼ NRCS approved reliable and robust design
- ▼ Bright LED display improves readability
- ▼ AC or rechargeable battery operation (60 hours)
- ▼ Auto power-off function
- ▼ Boosts operator productivity

MW-560 Mobile Weigher

- ▼ Platform size: 500mm x 600mm
- ▼ Battery or mains operated
- ▼ Mobile scale, moveable and transportable
- ▼ Versatile and convenient



MW-560 Mobile Weigher

FD-166

- ▼ 300kg fold down carcass receiving scale
- ▼ Robust stainless steel and mild steel construction
- ▼ 4 hooks and 440mm x 500mm platform
- ▼ Large clear LCD display with RS232C interface
- ▼ Optional duplicate tally printer for record retention
- ▼ Optional floor stand available



DI-166



Fold Down Carcass Scale

Platform Scales



Platform Scales

- ▼ Painted or galvanised low profile robust design
- ▼ 300kg, 600kg, 1500kg capacities available
- ▼ 1m x 1m to 1.5m x 1.5m sizes available
- ▼ Remarkably durable and able to withstand high overloads

MEAT RECEIVING & PLATFORM SCALES

Right Receiving



DI-771 with Right Receiving

- ▼ 15" industrial PC console
- ▼ Precision weighing
- ▼ Receiving goods
- ▼ Transfer between branches and stores
- ▼ Creates sales orders
- ▼ Maintains data for central server
- ▼ Consolidates totals
- ▼ Full inventory reporting
- ▼ Windows Printing for reports
- ▼ CCTV camera system for extra layered security
- ▼ Waterproof indicator



Overhead Track Scale



DI-166 SERIES

- ▼ Speeds up weighing operations with precision
- ▼ Capable of linking to external remote display
- ▼ One-touch digital tare
- ▼ Clear LCD display
- ▼ Interface for PC connection



DI-166



DI-166SS



AUTOMATIC WEIGH / WRAP / LABEL SYSTEMS



AUTOMATIC WEIGH/WRAP/LABEL SYSTEMS

AW - 5600AT II

- ▼ Fully automatic integrated weigh/wrap/labelling system
- ▼ Wrapping speed:36 packets per min (tray size dependent)
- ▼ Wraps various sizes of trays and boxes
- ▼ Film saving "super stretch" function
- ▼ 80mm printhead for variable label layouts
- ▼ Easy film change
- ▼ Easy to clean design
- ▼ Eco-Friendly
- ▼ Reduced power consumption and low noise
- ▼ Multi-labeller system
- ▼ Variable length linerless labelling



Sample Packs



AW-5600ATII



AW-5600CPII



AW-5600FXII



DIGICONNECT

DIGICONNECT

Scale Management Software

DIGIConnect

- ▼ Maintain production information and pricing integrity
- ▼ Quickly send information from BOS to all scales simultaneously
- ▼ Automatic pre-set key population based on scales
- ▼ Print daily scales reports
- ▼ Set passwords on scales
- ▼ Receive e-mail reports when sending product information
- ▼ Maintain ingredients, cooking instructions and other product information
- ▼ Add advertising messages to scale displays and schedule images for promotions
- ▼ Maintains scale clerks
- ▼ Modify pre-set keys in seconds
- ▼ Pre-installed label formats and product images library
- ▼ Integrates with PowerPOP solution

BOS Server



SM-110

SM-120 P LL

SM-5300 H

SM-6000 EV PLUS

AW-5600ATII



ELECTRONIC LABELLING

ELECTRONIC LABELLING

Electronic Shelf Labels (ESL)

- ▼ Simple lean infrastructure
- ▼ Enhanced productivity
- ▼ Freezer and non-freezer type available
- ▼ Low energy consumption
- ▼ Five blinking LED promo flash colours available
- ▼ Built-in NFC support
- ▼ Six frame colours on offer with six frame sizes
- ▼ Display in black, red and white



4.2"



2.9"



2.13"



1.54"



eLabels

eLabels

- ▼ Designed for wet environment usage
- ▼ Seamless price updates
- ▼ Various sizes available (2.7" and 4.2")
- ▼ IP67 rating
- ▼ Compatible for use with DIGI PC scales
- ▼ Extended battery life
- ▼ Easy to install
- ▼ High contrast display
- ▼ Price automation
- ▼ Eco-friendly

A man in a dark polo shirt is working in a warehouse. He is holding a handheld device that displays a label design with barcodes. Below him is a label printer with a control panel. The printer is printing a label. In the background, there are shelves with boxes, some labeled 'PCI-PAR2X-MERC'.

LABEL PRINTERS

LABEL PRINTERS



PC43t

PC43t

- ✔ User friendly and easy to install
- ✔ Purpose-built platform with innovative design
- ✔ 203.2mm built platform second print speed
- ✔ 104mm wide print area
- ✔ USB interface
- ✔ Available in Direct Thermal or Thermal Transfer

PM43

- ✔ Industrial mid-range label printer
- ✔ Ideal within the distribution/warehouse and manufacturing environment
- ✔ Full colour LCD display
- ✔ 100-300mm per second print speed
- ✔ Large 114mm wide print area
- ✔ Ethernet, USB and RS-232 interface
- ✔ Available in Direct Thermal or Thermal Transfer



PM43

PM42



PM42

- ✔ Industrial label printer
- ✔ Designed for maximum reliability and uptime
- ✔ 100-300mm per second print speed
- ✔ Large 114mm wide print area
- ✔ Ethernet, USB and RS-232 interface
- ✔ Available in Direct Thermal or Thermal Transfer



LABELS & CONSUMABLES

LABELS & CONSUMABLES

Custom Thermal Labels



Size	40mm x 62mm
Face Material	Thermal Top
Adhesive	Standard Hot-Melt
Colours	3

Size	60mm x 43mm
Face Material	Thermal Top
Adhesive	Standard Hot-Melt
Colours	2



Size	60mm x 55mm
Face Material	Thermal Top
Adhesive	Standard Hot-Melt
Colours	2



Size	60mm x 55mm
Face Material	Thermal Top
Adhesive	Standard Hot-Melt
Colours	3



LABELS & CONSUMABLES

Custom Full Colour Labels



Size: 115mm x 67mm
 Face Material: White Polypropylene
 Adhesive: Hot-Melt Freezer Grade 6
 Colours: + Matt Varnish

Size: 68mm x 140mm
 Face Material: Thermal Top
 Adhesive: Hot-Melt Freezer Grade 4
 Colours: + Matt Varnish



Size: 60mm x 60mm
 Face Material: Semi-Gloss
 Adhesive: Hi-Track Hot-Melt 3
 Colours: 3







SERVICE & SUPPORT

SERVICE & SUPPORT

Teraoka Service and Support Network

HEAD OFFICE

Unit 6, City Deep Industrial Park
Fortune Street, City Deep
Johannesburg, 2049
+27 11 613 4291
info@teraoka.co.za
www.teraoka.co.za



- ▼ 10 Service Branches throughout South Africa
- ▼ 100+ qualified service and support engineers
- ▼ Monthly services conducted by our qualified technicians/verification officers
- ▼ Monthly label deliveries
- ▼ NRCS approved verification of scales
- ▼ National helpdesk providing first line and telephonic support
- ▼ Local software support, research and development
- ▼ Local PC based repair division

Branches

JOHANNESBURG

Tel: 011 613 3956
johannesburg@teraoka.co.za

PRETORIA

Tel: 012 327 0262
pretoria@teraoka.co.za

RANDBURG

Tel: 011 794 4023
randburg@teraoka.co.za

CAPE TOWN

Tel: 021 930 6500
capetown@teraoka.co.za

DURBAN

Tel: 031 700 6022
durban@teraoka.co.za

BLOEMFONTEIN

Tel: 051 436 7900
bloemfontein@teraoka.co.za

PORT ELIZABETH

Tel: 041 581 8970
portelizabeth@teraoka.co.za

EAST LONDON

Tel: 043 721 1432
eastlondon@teraoka.co.za

POLOKWANE

Tel: 015 293 2659
polokwane@teraoka.co.za

WHITE RIVER

Tel: 013 750 0724
whiteriver@teraoka.co.za





DIGI®

www.teraoka.co.za